Charaman of India,

REGISTERED No. D.Q.

The Gazette



of India

EXTRAORDINARY

PUBLISHED BY AUTHORITY



NEW DELHI, MONDAY, OCTOBER 3, 1949

GOVERNMENT OF INDIA

OFFICE OF THE CHIEF COMMISSIONER, DELHI PROVINCE

NOTIFICATION

Delhi, the 3rd October, 1949

Jr. 51

No. F.28(1)/49-08. In exercise of the powers conferred by Clause (a) of sub-section (1) of Section 4 of the Drugs (Control) Ordinance, 1949, (Ordinance No. 26 of 1949), the Chief Commissioner, Delhi Province is pleased to fix the maximum retail prices specified in column 2 of the Schedule in respect of the drugs specified in column. 1.

SCHEDULE

Drugs arranged according to manufacturer or main importer with unit.

J.R. GEIGY S. A. BASLE.

							\mathbf{P}_{1}	cioc	,				
									Rs.	▲,	P.		
$\begin{array}{ll} \mbox{Irgafen Tablets 20} & 0.5 \ \mbox{g}, \\ \mbox{Irgafen Tablets 250} > 0.5 \ \mbox{g}. \\ \mbox{Irgafen Tablets 1000} \times 0.5 \ \mbox{g}. \end{array}$: :	:	:	:			4 40 144		0 0 0	per 	bottle.
THE ANGLO-F	REI	CH I	DRUG	OD k	(EST	N) L	rd.						
Ascorbic Acid 50 mg.—													
Bottle of 50 Tablets Bottle of 100 Tablets Bottle of 500 Tablets Bottle of 1000 Tablets								· · ·	3 4 15 28	0 8 0 0	0 0 0 0	77 78 29	91 27 23
Befor Forte Tablets (Thiamme	нс	1 • 5 m	gm.)										
Bottle of 25 Tablets . Bottle of 100 Tablets Bottle of 500 Tablets Bottle of 1000 Tablets		· ·							$\begin{array}{c} 1 \\ 3 \\ 17 \\ 32 \end{array}$	4 0 0 0	0 0 0 0	** ** **	3. 1% 2) 11
Befos Forte Tablets (Thismine	HC.	L 10 r	ngm.)										
Bottle of 25 Tablets Bottle of 100 Tablets Bottle of 500 Tablets Bottle of 1000 Tablets		· ·					•	•	~ .	8	0 0 0	,, ,,	** ** **
h .			/ 70	100									

									Rs	. A.	P.		
lefos Forto Tablets (Thiamii Bottle of 25 Tablets .		L 20 r							. 2	4	n	TVAT"	bottle
Bottle of 100 Tablets	•	•	•		•	•	•	•	7	8	ŏ	-	,,
Botlle of 500 Tablots					•		٠	•	31	ŏ	ŏ	*;	,,
Bottle of 1000 Tablets		·				•		:	60	ŏ	ŏ	"	,,
lavit Tablets 3 mgm.—													
Bottles of 100 Tablets									2	0	0	,,	,,
iacin 50 mgm.—													
Bottle of 50 Tablets .									1	8	0	,,	•1
Bottle of 500 Tablets	•	•	٠	•	•	•	•		8	8	0	,,	**
lacinamide 50 mgm.—-													
Bottle of 50 Tablets . Bottle of 500 Tablets	•			•		:	·:		1 10		0	"	,,
iacinamide 100 mgm,—													
Bottle of 50 Tablets ,	_		_	_					2	8	0	,,	,,
Bottle of 500 Tablets						•			18	0	0	11	"
ovafol brand Folic Acid													
Bottle of 25 Tablets .									7	8	0	,,	,,
Bottle of 100 Tablets									28	0	0	,,	**
Bottle of 1000 Tablets	٠		•	•	•	•	•	•	250	0	0	,,	٧,
ılfadiazine Tablets 0•5 gm.													
Bottle of 20 Tablets .	-						-		3	0	0	,,	,,
Bottle of 50 Tablets .	•	-	•	•		•	•		6		0	,	**
Bottle of 100 Tablets Bottle of 1000 Tablets	•	•	•	•	•	•	•	•	12 110	0	0	,	27
	•	•	•	•	•	•	•	•	***	·	v	"	"
ulfaguanadine Tablets 0.5 g	<u>, m.</u> – -								o		^		
Bottle of 20 Tablets . Bottle of 50 Tablets .	•	•	•	•	•	•	•		2 4	0	0		
Bottle of 1000 Tablets	·			•	÷	·	•		40	ő	Ŏ	7. P\$	
hiamine Hydrochloride Sol	ation	_											
Vial of 5 cc. 50 mg .				_		٠			3	^	0	Dec	r 6.0.
	•			•				•		0		F	
Vial of 500, 100 mg.	:	•	•	•	•	•	٠	:	4	8	ŏ	•/	· ••
Vial of 500, 100 mg B Avoleum (Vitamin A.).—	RITIS						A) LT	; D,				-)))
Vial of 500, 100 mg							A) LT). D.	4		0	• • •	_
Vial of 5cc. 100 mg. By ofeum (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c.	ntein '	3 0,000) i.u. :	per g			A) LT !) D.	4 7	8 10	0 0 0	per	bottle
Vial of 5cc. 100 mg. By olding (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 100 c.c.	ntein '	8 0,000) i.u.	per g			A) LT:) D,	4 7 28	8 10 14	0 0 0 0	per	bottle
Vial of 5cc. 100 mg. By Voletin (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c.	ntain	80,00 0) i.u.	per g			A) LT! ;) D.	4 7	8 10 14	0 0 0	per	bottle
Vial of 5cc. 100 mg. By Voledin (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c	ntain ontain	80,000 4,800) i.u.	per g			A) LT! ;	; D,	4 7 28 130	8 10 14 0	0 0 0 0 0	per	bottle
Vial of 5cc. 100 mg. By Voledim (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 50 × 3 minim	ntain	80,000) i.u.	per g			A) LT:) D.	4 7 28 130	8 10 14 0	0 0 0 0 0	per	bottle
Vial of 500, 100 mg. By Voletim (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c	ntain ontain capsu oapsu	30,000 4,500 les ules) i.u.	per g			A) LT: ;) o.	4 7 28 130	8 10 14 0	0 0 0 0 0 0 0	per	bottle
Vial of 5cc. 100 mg. Bovoledim (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 50 × 3 minim Bottle of 500 × 3 minim	ntain ontain capsu oapsu	30,000 4,500 les ules) i.u.	per g			A) LT:	D	4 7 28 130	8 10 14 0	0 0 0 0 0 0 0	per	bottle
Vial of 5cc. 100 mg. Bovoledim (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 50 × 3 minim Bottle of 500 × 3 minim Bottle of 1000 × 3 minim	ontain capsu n caps in cap	30,000 4,500 les ules sules) i.u.	per g			A) LT	o.	4 7 28 130	8 10 14 0	0 0 0 0 0 0	per	bottle
Vial of 5cc. 100 mg. Butoledim (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 50 × 3 minim Bottle of 500 × 3 minim	ontain capsum capsum caps	30,000) i.u.	per g			A) LT	D	4 7 28 130 4 31 57	8 10 14 0 2 12 4	0 0 0 0 0 0	per	bottle
Vial of 500, 100 mg. Bovoleum (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 1000 × 3 minim Bottle of 500 × 3 minim	ontain capsum ca	4,600 les ules sules) i.u.	per g			A) LT!	ο.	4 7 28 130 4 31 57	8 10 14 0 2 12 4 6 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	per ;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	bottle
Vial of 5cc. 100 mg. Buvoleum (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 5cc. Bottle of 500 c.c. Capsules standardised to c Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 1000 × 3 minim Bottle of 500 × 3 minim	ontain capsum ca	30,000) i.u.	per g			A) LT!	D	4 7 28 130 4 31 57	8 10 14 0 2 12 4 6 2 2 2 14	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	per	bottle
Vial of 500, 100 mg, Bovoledim (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 50 × 3 minim Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 1000 × 3 minim Bottle of 500 × 3 minim Bo	ontain ontain ontain on capsu on caps of 5 c.c of 10 c of 5 c.c	30,000) i.u.	per g			A) LT	D	4 7 28 130 4 31 57	8 10 14 0 2 12 4 6 2 2 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	per	bottle
Vial of 5cc. 100 mg. Bovoletim (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 1000 × 3 minim Bottle of 500 × 3 minim	ontain capsu n caps in cap of 5 c.c of 10 c of 10 c.	30,000) i.u.	per g				D	4 7 7 28 130 4 31 57 1 1 5 2 2 3 3 3 3	8 10 14 0 2 12 4 8 2 2 14 14 14 14 14 14 14 14 14 14 14 14 14	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	per	bottle
Vial of 5cc. 100 mg. Buvoleum (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 1000 × 3 minim Bottle of 500 × 3 minim Bottle of 1000 × 3 minim Bottle of 10	ontain capsu n caps f 5 c.c of 10 c f 5 c.c f 10 c.	4,500 les ules sules) i.u.	per g				D	4 7 28 130 4 31 57 57 2 3 3 3 7 7	8 10 14 0 2 12 4 6 2 2 14 14 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	per	bottle
Vial of 5cc. 100 mg. B Avoletim (Vitamin A.).— Liquid standardised to co Bottle of 10 c.c. Bottle of 25 c.c. Bottle of 500 c.c. Capsules standardised to c Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 500 × 3 minim Bottle of 1000 × 3 minim Bottle of 1000 × 3 minim Insulin A. B.— 20 units per c.c.—Vial c 40 units per c.c.—Vial c	ontain capsum ca	4,500 d,500 dles ules 3ules) i.u.	per g			. A) LT	D	4 4 7 7 28 130 4 31 57 2 3 3 3 7 7 2 2	8 10 14 0 2 12 4 8 2 2 14 14 14 14 14 14 14 14 14 14 14 14 14	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	per """"""""""""""""""""""""""""""""""""	bottle

	_								Rs.	A. 1	٠.		
Globin Insulin (with zino) A.B.—									21	2 (0	per	vial
40 units per c.c.—Vial of 5 c.c 80 units per c.c.—Vial of 5 c.c	3 3		•			:	:		ã i	_	Ď	**	,,
Penicillin Preparations.—													
Penicillin Lozenges B.D.H													
Containing 500 i.u. per lozeng	дө. —									0	Λ	per t	nha
$\begin{array}{cccccccccccccccccccccccccccccccccccc$:	:	:		:	:	3				ottle
Containing 1000 i.u. per lozer	nge.—	-									_		
Tube of 20 Bottle of 50			:	•	:	:	:	:	2 5	8 0	0 p	er tu er bo	ttle.
Penicillin Ointment B.D.H.—													
Containing 500 i.u. per grm													
Container of 25									2	0	0	each	
Containing 1,000 i.u. per grm	_												
Container of 5 25 grm									3	12	0	,,	
Penicillin Eye Ointment B.D.H													
Containing 1,000 i.u. per grm													
Containing 1,000 2.5. per grin.									2	8	0		
Container of 3.0 grid.			•	•	•	•	•	•	4	٧	Ū	**	
Penicillin (Oil-Wax) Suspension													
(Arachis Oil)—Oily Injection o		nici]	llin E	3.P.—									
Containing 125,000 i.u. per	e.c.												
Villa of 10 c.c									17	8	0	per	vial.
Phytoferol Capsules (Vitamin E.	B.D.	H.)											
Capsules containing 6 mg.—													
Bottle of 25 capsules .									4	- 8	0	per	bottle
Bottle of 100 capsules .								-	14		_	٠,,	**
Bottle of 500 capsules .		,	•	•	•	•	•	•	4.8		0	**	**
Bottle of 1000 capsules .		•	•	•	•		٠	•	91	0	0	**	"
Capaules containing 30 mg.—											_		
Bottle of 25 capsules Bottle of 100 capsules	•	•	•	•	•	•	•	•	11 36	- 8 - 8	0	"	**
Bottle of 500 capsules			•	•	•	•	:	•	164		0	"	**
Prokayvit Oral (Vitamin K) (M	Ienar	hth	one	B.D.F	T.).—		-	•		-	-	,,	**
Ampoules containing 5 mg. pe	_				,.								
Box of 6×1 c.c.		•							~	٥	۸		ha-
Box of 50×1 e.e.				:	:			:	59		0	-	box.
Box of 100×1 e.e			:						113		Ŏ	",	•,
Prokayvit Oral (Vitmin K) (Ac	coton	10118	phth	one E	J.D.H	.).—						'	
Tablets containing 10 mg -											•		
Bottle of 25 tablets .									3	8	0	per	bottle-
Bottle of 100 tablets .										12	, 0	4	1)
	•	•	•	•			٠		. 38	0	P	•	**
Quinine Bihydrochloride.—													
Bottles of 100×2 gr. table Bottles of 100×5 gr. table		:	:						8	'5 14		,,	,,
Quinine Bisulphate													
Bottles of 100 × 2 gr. table								,	2	8	0	,,	
Bottles of 1000×2 gr. tab			٠						2			•	,,
Bottles of 100×5 gr. table Bottles of 1000×5 gr. tab			•	•	•	٠	•	•	- 6 50			• • • • • • • • • • • • • • • • • • • •	**
Sulphadiazine B.D.H.—	, 40 t/D	•	•	•	•	•	•	•		. 0	U	"	••
Tablets of containing 0.5 gr	~								,	1			
***	11.—												
Bottle of 25 Bottle of 100	•	•			•	•	•					11	**
Battle of 500			•			-	•	•	. 17 . 80				**
		-		-	•	•	•			- "		•	•,

	,	.H.—													
Tablets each	contain	ning 0	5 grn	т.—							Rø.	۸,	P.		
Bottle of											7	ø	ø	per,	bottl
Bottle of							-				15	8	ű	-, ₁	,,
Bôttle of		•	•			٠	•		•		29	Ò	Ŏ	99.5	,,
Bottle of			•	•	•	•	•	•	•	•	52	0	0	7,	**
Sulphanilamid															
Tablets each	contai	aing 0	őgın	a.—										٠,	•
Bottle of	25 .										0	15	Q		,,
Hotele of										-	2		•	,,	,,
Bottle of					-	-		•				Ģ	ģ	,,	,,
Bottle of Tin of 500							•	•		,	19 94	_	Ó	1 22	t111.
Vitamin Bl B		•	•	•	•	•	•	•	-	•	1779	U	v	Pot	- 114
Ampoules co			g. per	e.e.—										1	
Box of 6	× 1 0.0.									-	3	9	Õ	per	box.
Box of 12 Box of 50	\times 1 c.6		•		•	•	•	•		•	5 24	8	0	**	,,
Box of 10	X + 0.0	.c					•	•	•	٠	34 44	0	0	(اوو د دد	
Box of 19 Ampoules of Box of 8	ntainin	g 25 n	י. דופמיקם	o.e		•	•	•	•	-	**	,	J	2) -	",
			-17. E-31								11	8	Ò	1 ;	,,
Box of 12	\times 1 c.	c									45	8	0	"	,,
Box of 50	\times 1 o.e	· .	•	•		•	٠	٠	-	•	88	0	O	(49 ,	**
Ampoules co	ontainin	g 100	mg. 11	2 c.c.	.=									ı	
Box of 3											9	2	0	ا ووا	,,
Box of 12	× 2 c.	٠									32	6	0	,,	15
Tablets cont	aining	l mg.	per ta	blet.—										,	-
Bottle of			٠.								1	0	0	ger l	ottl
Bottle of												12	0	ş.,	. ,,
Bottle of	5QO .										6		ò	121	,,
Bottle of				•		•	•	٠	•	•	12	0	0	77	"
Tableth com	aining	3 mg.	per ta	blet.–	_										
Bottle of	25 .										1	8	Q.	**	>>
Bottle of				-							2	8	Q	,,,	,,
Bottle of		•	•	•		•	•	•	•	•	10 19	Ö	0	>>	, 35
Bottle of						•	•	•	•	•	19	V	v	17	"
Tablets com	aining	10 ուջ	, per t	ablet,-	-										
Bottle of						•		•			2	4	0	73	,,
Bottle of						•	•	•	i	٠	19	Ų.	0	**	,,
Bottle of Bottle of		•				:	•	•	-	-	38	0	0	** 1	"
	,					•	•	•	-	-	•	•	•	· "ጎ	**
Tablets con	_	20 mg	į, per i	apiet.	-							1 11	۵.		
Bottlé of Bottlé of			•	•	•	•	•	•	•	•	3	12 12	0	٠,	,,
Bottle of		:	•			:		·	-	•	44	ō	ő	,,	"
Vitamin C.B.I		·	•	•		-	•	·	•	-		-		··	
Tablets of A															
Each com	taining	20 mg	z. (500	i.u.)	-										
	of 20			٠					•	, -		10	Ä	, ,,	. ,,
Bottle		•		•	•	•	•	•	-	-	$\frac{2}{10}$	8	0	,,	**
Bottla Battla	of 1000	•	•	•	•	•	•	•	•	•	18		' 0	**	7.5
		πΛ -	/100	· · · · · · · · · · · · · · · · · · ·		•	•	,	•	•	-0			••	**
Each cor			R. (100	m (.u.)							-10	D	^	,	
	of 20 .	•	•	•	•	•	•	-	•	-	1 4	8	0	12	*1
Bottle Bottle		•	•	•	•	•	•	•	•	•	18	_	ě	y , py }	"
	of 1000	:	:				•	•			3¥	ŏ	ŏ	97 (54)	,,
Each con			ıα. (40	00 1.41										112	.,
			-p- (±º	J J 4 4 7 7 9	′.						-1 6	73	' a	ا الأحقال الماد	
	of 20 . of 100	•	•	•	•		•	•		:		KO.			,
		•	•		•	•	•	•	•	-		υĞ B		* (31
Bottlè	OF 500	-				•	•	•		-		. 27	ď	17.	,,,

or parenters	al malemini.	-de-ed-a-a									Re	. A. @	P.		
	s contain			i valer	nt of	100 c	n tr. (S	. 000 i	.u.)			•		×	
-	6×2	•				,,,,	B. /-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, .		б	7	۵	TAP.	box.
	f 80 x 2		:	Ċ	•	Ċ	:		•	:		10		11	,,
	f 100 ×										_	0		,,	11
.4mpules	ogntaini	ng the	ogui	valent	of 5	00 m	g. (10	.000 1	.u.)—						
• •	f 3 > i	~					6 - \	,			4	13	a	,,	,
Box o	f246 × 8	, o, c.) B		,,	"
Box o	f 50 $ imes$ 5	5 a.c.	•		•						68	B	0	**	
adiostol (Ca	lciferol I	в.р. н .	-Vit	amin	D2)										
Solution	(3,000 i.	u. per	grin.)·											
Bottle	of 10 o.	2				•						Ą		ber,	bett!
	of 25 c. of 100 c					•		•	•	•		10		"	7.
	of 500 c				•		•		',	•		6		;;	,,
Holutione	for admi	nistrat	ion o	flarge	doses	3									
100,000 i	u. per gr	m.—													
	of 30 c.c										10	8	0		
	of 500 c		•		,						118	8 0	0	.,	"
200.000	.u. per g	rim.—													
	of 30 c.										10	12	0		
	of 500 c			•		:		:	•		201			"	**
lleta (conta	ining 8 (00 i n.:). —												
•	of 25	oo rai	,.								58	10	0		
	of 50	:		÷		:					ě	8	ŏ	"	"
	of 500							,			81		0	**	11
	of 1 6 00	•		,	•	•	•	٠			39	0	0	,,	**
у Бвијев со и ,			.u. —								_				
How of	50	•	•	•	•	•	•	•	•	٠	7	lZ	0	per	þрж.
			BU	RRO	UGH	S WE	LLC	PM C	e co	١.					
Wellcome '	Sera														
Diphther	ia Antito	min.—													
2,000	unite										8	12	0		
4,000													0		
8,000 10,000		-		٠	•	•	•	•	٠	•	11	I4	6		
20,000						_	•	•			97	<i>1</i> 0 8	ď.		
•	-			•	,	•	•		•		Çw -		-		
Refined !			in.—	-											
	ophylaxi	()									43	ü	n		
	mita estment.		•		•	•	•	•		•	3	8	0		
20,000											18	12	ø		
* .															
inine															
' Tabloid		Biaul	phate	e -											
gr. 2	25 .	•	•	•				•			i	8	Ü		
gr. 2 gr. 5	100 . ⊈5 .	-	•	•	•	•	•	•	•	•	. 3 2	2 13	Q (b)		
gr. S	160										8	6	ŏ		
' Tabloid		Dibo	lmah	lor -											
12	Antitut	· TATIBA	TY AGT	4 0 —							1	t A	0		
ogr. 2	25		:		•	:			:	•		14 10		,	
gr. 2	100											6			
'Tabloid	' Quinine	Dihye	lrock	lor—											
	25 .										.8	.8 10	0		
ap>. δ															

1099 1115	UAZI	7 T T T;	. O.E.								-00	1,	ر ن —	70
'Wellcome' I	njectic	n of	Quini								R	5. A	. Р.	
gr. 5 12						-					4	8	0	
gr. 5 100	•	•	•									12	0	
gr. 10 12	•	-	•	•			•	•	•	•		13		
gr. 10 100	•	•	•	•	•	•	٠	•	•	,	43	5	0	
Sulpha Drugs—														
'Tabloid Sulp	hadiaz	ine—.										Δ.	_	
0.5 gm 25	•	:	•	•	•	•	•	•	•	•	15	0 12	0	
0 5 gm 100 0 5 gm 500	•	-		•	•	•	•	•	•	-	76	0	δ	
'Tabloid Sulp	haguar	idine				-	-	•	-	•		_	•	
0 5 gm 100									-		7	8′		
0.5 gra 500		•	•	•	•	٠	•	•	•		28	8	,Q.	
Thyroid Gland—					٠.									
Tabloid Thyr	oig (D	ry Ti	iyroid								,	4	۸	
gr. 1 100 gr. 1 100		•	•		:	•	•		•			12		
gr. † 100 gr. 1 100			•			•	•		•	•	3		, 0	
gr. 11 100				'	:		•	Ċ		:		14	_	
gr. 2 100											4	14	0,	
'Tabloid Thyr	oid Gl	and (Stand	ardis	ed)							34	,	٠.
Original Form											1	5	ò	
		•	•	•	•	•	•	•		•	1	12		
gr. 2 100 gr. 21 100				_	:		:	•			î			
Pitultary Extract				-								. k	0.	
'Infundin' Pi		Pos	terior	Lob	e) Ex	krant						. k	* 1	t
10 unite per c		(2 00			·,								١.	
0 ·5 c.c.											2	12,	, 🌣	
10									,		36	6	Ò	
10 units per o		.0.—								٠			À	
	6	•	-	•	•		•	•	•	•		. 8 10		
2. 10:		•	•	•	•	:	•	•	•	•		70		
nsulin—-	U	•		•	•	•		•	•	٠	V4	٠	٠	
'Wellcome' I		T7mm	od (flad	L.						٠			7 4	
20 units per	. a.a. f	0.0.	OUITHOU	_	_	_	_		_		1	6	0	
40 units per	° 0.0. 8	0.0.						·,			2	23	ō	
80 units per	. e.c. 5	0.0.								+ 5	3	14	0	
' Wellcome ' I.	· Globi	n (wit	th zine	(و							~			
40 units per	. 0.0. 0	a.c.	~:	•	•	•	•	•	*		7	12	0	
Wellcome I	- Prote	mine	Zinc-	_	•						2	12	ø	
40 units per Wellcome I	Prote	mine	Zine	•	•	•	•	•		•	_	111		
80 units per	o.c. 5	0.0.			,						4	13	0	
Wellcome I.	Globi	n (wit	th zine	3)									11	
80 units per	· o.o. 5	0.0.					•		•	t	4	12	0	
/itamin—A														
Capeules—	٠,													
25's .		_									5	14	o	
100's											21	2	0	
Ampoules														
1 co (6)		•			•	•	•	•	•	۳				
itaminBl														
Tablets 3 mgm) —-											4		
25'e					•	•	•	•	•		2	8	0	
100's .	-	•			•	•	•	•	•	•	•	•	v	
Tablets 10 mg								,		. `	4	6	0	
20 s . 100's .										. 1	14	4	ő	
Ampoules 28 p	agm		•							,				
1 cc (6)						•	•		٠.		7	6	0	
ltamin—B2									-			٠.		
Tablets 8 mgm	ı -											ر ا بغر		
25's						•				•	4	2	0	
Ampoules 1 m	Zm. —										4	6	0	
2 ec (6)		•					•	•	-	•	•	v	v	

- X	ग<i>्रकान</i>क	-,,	,			11.004.	1107-1					==
Vitamir—B6 —										Re. A	., Р	
Tablets 10 m	****											•
25°e .	Вш.—									8	8	0
		٠	•		•	•	•	٠	•	Ü	,	
Ampoules 50										15	6)	
, ,	•	•		•	•	•	•	•		15	8	U
Vitamin—C—												
Tablets 50 m	gre.—											
50'ы . 100'в .	•	•	•	•	•	•	•	•	•	4, 6	4	0
Tal'ets 200 :	morn.—	•	•		•	•	•	•	•	*	٠,	
25'e							_			8	10	0,
100'в .			•	·	·		-			23	4	0
Ampoules 100	mgm.—					·						
l cc (6)	• •									7	4	\mathbf{O}_{i}
Vitamin—E (E. C		•										
Capsules-	•											
25's .								>		2	0	b
100'4		:		•			·	•	Ċ	8	Õ	Ö
Nicotinio Acid												4
Tablete 50 m	or											
25's .)	4	1)
100'a .								•		3	8	0 '
1000's .		,		•	•	•	,	•	•	26	8	0
Ampoules 50	mgm.—											
					•		•	•		3)	Ŋ	, () ,
Nicotinamide-												
Tablete 50 m	gus											
25's . 100'e .		•					$\mathcal{F}(\vec{x})$	•		2 5 1	2 10	0
	P0											, .
Ampoules 50	· · ·									3	я	0.
, , ,			•	•		•	•	, i		.,	٧,	17/10
VitaminK												
Tablets 10 in 25's	gin					۱				3	4	o ·
100's		•			-				٠.	9 1	(0)	0
Ampoules 5 n	ngm						4			-		
1 oc (6)	, .					,	,			<i>i</i> 1	1()	0
	THE	# A TTO	ו איזורני	ר מים	DDAT	ለምየረ	יי זאר	n H	OMU	ŘΔV		
	TOP (MIL	יאפתי	L (XV)	ar On	M (11.	177	17., 17	10001	17 28 (3)		
Hormones-												
Crude Livor	Extract-									-		
Vial of 10						•			•	4 J		
Vial of 30 Purified Live				•	,	•	•	•	•	12	,0	.0
Vial of 10c	c. 10 U.S.J	Ρ.								15	0	10
Vial of 30c Vial of 10c	c. 10 U.S.	P.	•		•	•	•	•	•	36 7		0
			•		•	•	•		•	•		7
Vitamin Proparat											(1)	
Minavitab—										<i>i</i>		1 4
Bottle of 2 Bottle of 5				٠				·		3 7		10 , 0
	,000 Table				•			-		120	0	ď
7.4												

~~ `~~	- 									-	-	
Vitbin Inj									Rs.	۸.	P.	
10 cc. 100 mg									8	0	O	Vinl
Folic Acid												
Bottle of 25 Tablet.	ន 5 m g								7	8	0	Bottle
Foliferol—	•											
Bottle of 50 Tableto Streptomycin—.	ษ .	•	•			٠	-		16	0	Ü	,,
Vial of 1 gram . Vial of 5 grams .			:			:		:	5 21	U #	0	Vial
Peneillin									-			
100,000 units									1 2	G 4	0	,,
500,000 units									4	2 0	0	
1,000,000 units									8		0	17
Permanent Metal Sy caine.	ringe S	et wi	th 5	` 1ec	. Car	tridges	Pro	-	45	O	0	Søt
Box of 5 × 1 cc. R	ofill Ca	rtride	es Pr	ocain	э.				37	8	0	Box
Disposable Syringe b	set with	$1 e \bar{c}$	Car	tridge	s Pro	came			_	0		•Set
10 cc. R. C. Vial Pr	ocaine								50	-	0	Vial
1 cc. R. C. Vial Pro Buffered Tablets, 12 Buffered Tablets, 12	caine								\$	()	0	• •
Buffered Tablets, 12	Tabs.	of 50,	,000 ι	unite e	ach				0		Ü	• •
Buffered Tablets, 12	Tabs. c	of 100	1,000	units	oach				ł : <u>·</u>	8	0	* *
Bi-Pen.—												
5 dose vial each dor Procaine Pencillin cillin Crystalline G	G. and	uining 1 100,	300, 000 t	000 t mita e	mits of Po	of Cry Lassiur	stallin n Pen	e i-	28	8	0،	**
Bi-Pen												
Combination Package of Crystalline Proca Pencillin Crystalline	ino Pon	cillin	and 1	00,000) unit	of Po			8 (12	Ð	1,

GLAXO LABORATORIES.

Adexolin (Vitamins 2	A & D)										
Capsules 25'a				_				 3	õ	Û	Eston
Capsules 100's								 8	11	Ö	11
Capaules 1000's								 60	0	0	9.7
Liquid 14 cc.								 -2	7	Ō	71
Liquid 2 0.								 6	15	0	7.7
Berin (Vitamin Bl)											
Tablets 3 mg.	25's							 1	3	Ü	1)
Tablets 3 mg.	100's							 3	0	0	11
Tablets 3 mg.								 26	11	ŋ	١,
Tablets 5 m ₆ -	25's							 1	5	Q	13-
Tablets 6 mg.	100 ' n								11	0	**
Tablets 5 m	1000'я	. ,						 	0	0	"
Tablets 10 mg.	25' 8						-	 2	0	0	1)
Tablets 10 mg. l	100'в							 5	11	୍ଠ	**
Tablets 10 mg. l	l000's				-				l,l	O.	17
Ampulee 25 mg.	6×1 Ge.								18	0	3.5
Ampules 50 mg.	6×1 e.c.								0	0	**
Ampules 50 mg. Solution 10 c.c.	25 mg. pe	or c.c.			-	•	-			Q	,
Solution 10 c.c.	50 mg. p	oer c.c.						 5	୍ଦ	Ò	- P4
Solution 10 c.c.	100 mg.	per c.	Ċ.		•			 8	0	b	17
Celin (Vitamin C).											
Tablets 50 m	23'e								0	40	**
Tablets 50 mg. 1	. 00'в					٠	•			.0	**
Tablets 50 mg. 2	250's .			•				 70	11		19
Table6s 50 m l	:000'A							 40	ō	0	11
Tableta 100 rig.	25's							 3	-D	Q	, 7,
Tablets 100 mg.	100'я							 7	5	0	' "

THE GAZETEM	UE	1N <u>1</u>	71 E ,	D A	THA	my	INABI	, 600	r. ø,	10	4 9	190
Tablets 100 mg- 250° Tablets 100 mg- 1000	'ห D'ย								Re 18 69	. A. 11 5	. P. 0	Each ,,
Apapules 100 mg $6 \times$ Ampules 500 mg $3 \times$	(•				•	•		6	11	0	17
					•	•	•			••	•	
Dekadexolin (Vitamins A	. & 1)	injec	tible)	1						_		٠,
Ampules 6×1 c.c.	1	•	•	٠	•	•	•		9	(ē	0	
Kapılin (Vitamin K analo												
Liquid 14 c.c.										12	υ -0	"
Tablets 25's $Ampules 6 \times 1 c.c.$				•	•	•	•			11	Ď	"
Ostelin (Vitamin D)			-		-	-						
Liquid 14 o.c.									4	5	0	**
Liquid 2 oz.									2	11	0	77
Tablets 45's		•		•					2	4	0	17
Ostelin (Vitamin D) For	rte—											
Tablets 25's .							•		2	Ş	0	,,
Tablets 100's Ampules 2×1 c.c.						•				8 15	O) O	",
Ampules 6×1 c.c.									5	ł	0	,,
Pelonin (Nicotinic acid)												
Tablets 25's .									J	11	0	11
Tablets 100 's . Ampules 6×1 c.e.	•								4 3	7	(O (B)	**
imputes o (11th)	•	•	•	•	•	•	•			•	~ ,	
Pelonin Amide (Nicotina)	mide)	1										
Tablets 25's .									$\frac{2}{a}$	5	0	11
l'ablets 100's . Ampules 6 × 1 e.e.	•		•	•	•				- fs - +	a O	Û.	11
T		·	·	•	•	•	-	•				
Tableta 50's	-								4	3	ø	17
Prepalin (Vitamin A)	•	•	•	•	•	•		•		-	-	
Liquid 8 c.c.									5	11	o	,,
Capsules 25's .										71	O	,,
Ampules 6 × 1 c.c.	•	•	•		•				19	ß	0	
Viteolin (Vitamin E)— Capsules 25's									a	11	0	,,
Capsules 100's	·				•				7		ŏ	,,
Penicillin Crystalline—												
Phials 100,000 units Phials 200,000 units					•	•			! 3	7 3	() ()	11
Phials 500,000 units			•	•	•				4	4	O	**
Phials 1,000,000 units	PI		•	•	•			•	8	0	Q	* *
Penicillin Freeze-dried-												
Phiala 100,000 units									1	8	Û	"
Phials 200,000 units Phials 500,000 units			٠		•	•		•	* *	.1位 必	Ø Ø	1,
Phials 1,000,000 unit	8	•		:			,		ě	15	ő	,, -
Ponicillin Calcium Salt-												
Phials 1,000,000 unit	н				,				9	11	0	7 7
Septanilam (Sulphanilam												
Tablets 25's .									1	. .	ı, S	17
Tablets 100's										40		"
Tablets 1000's	•	•	•	•	•	•		-	21	5	Ų	
Streptomyein-									5	0	۸.	**
Phials 1'gm		٠	•		•	•			ψ	v		

								R	5 , ▲.	P.	
Diphtheria Prophylactic											
Phials 3 c.c.									2 11	0	Each
Diphtheria/Pertussis combine						•	•			·	~~~~
									0 12	Δ	13
Phiels 21 c.c									$\begin{array}{ccc} 2 & 13 \\ 5 & 5 \end{array}$	0	71
Whooping Cough Vaccine											٠,
Phiels 5 c.c.					٠				3 9	0	*1
Whooping Cough Forte Vacci											-
Phials 3 c.c.							,		5 8	0	
Whooping Cough Prophylactic											
Phials 5 c.c					•				3 9	0	,,
BRITIS:	H SCI	нев	ING	LTI) I	OND	ON.				'
					, -		¥ • · ·				
Albucid (Sulphacetamide) or		ete.									.+
Tube of $20 \times 7\frac{1}{2}$ gr.		•	•	•	•			,	3 9 13 8	7.	13. 1
Tube of $20 \times 7\frac{1}{2}$ gr. Bot. of $100 \times 7\frac{1}{2}$ gr. Bot. of $500 \times 7\frac{1}{2}$ gr.								•		ŏ	
	PARK	F, D	AVIE	AN.	D CO	MPAI	VΥ			¥	
Penicillin 100,000 units									1 (3 0	*
The			٠.	, ,					2		
Penicillin 500,000 units Penicillin 500,000 units Penicillin S—R 1 dose Penicillin S—R 5 dose Dihydrostrepton yein 1 gm. Chloron yeetin 12s.—0.25 gm	•	•	•	•	•		•	•	4 1	9 0 2,0,	
Penicillin 1,000,000 unive .	•	•	•			•	•		6 19	Ò	1, 44 3
Penicillin S—'R 5 dose					÷		Ţ	•	26 (
Dihydrostrepton voin 1 gm.				-			, ,		6 13		
Chloron yestin 12s.—0.25 gm	. each								85 1		Por vial
Sulfaguine Tablets 50's			•		•		•	•	4 1		
Sulfaguine Tableta 100's	•	•	•	•					7 1		
Sulfaguine Tablets 50's Sulfaguine Tablets 100's Sulfaguine Tablets 100's Sulfanilamide Tablets 25's. Sulfanilamide Tablets 100's.	٠.,			•	:				4		
Vibex Solution (Thiamine Hy	drochl	oride)	, 20	mgm.	per c	.0.		-	2	2 0	~
									3 Y	or 0	vial
Vibex Solution (Thismine Hybra Solution (Thismine Hy	drochl	oride	, 100	mgm	per	o.c		-	A	2 0	
					-					2 0	
Vibex Tablets 1 ngm. 25 Vibex Tablets 3 ngm. 25 Vibex Tablets 3 ngm. 25 Vibex Tablets 5 ngm. 25 Vibex Tablets 5 ngm. 25 Vibex Tablets 10 ngm. 25	•		•	•	•	•	•	•	2	6 D 6 D	
Vibex Tablets 3 mgm. 25	•	•	•	•	٠		•	•	1 3		
Viber Tableta 3 ngm. 100	•		•	•	•		•			2 ŏ	-
Viber Tablets 5 mgm. 100		:					-	_	·4 1	3 0	ì
Vibex Tablete 10 mgm. 25										1 0	
Vibex Tablets 8 mgm. 100 Vibex Tablets 10 mgm. 25 Vibex Tablets 10 mgm. 100 Diptheria Antitoxin 2,000 u Diptheria Antitoxin 5,000 u								-		5 0	
Diptheria Antitoxin 2,000 un	nits		•			•		•		5 '0 9 0	
Diptheria Antitoxin 5,000 u	nits.		•			•			12		
DIDDECTOR ALLOTOXIII DICOC G	11440	•		•		-	-	•		8 0	
Diptheria Toxoid Alum Pre Diptheria Toxoid Alum Prec	initatec	100	.c.				· ·			3 . 0	
Tetanus Antitoxin 3.000 unit	ts .			Ċ				,	2	8 0)
Tetanus Antitoxin 3,000 unit Tetanus Antitoxin 20,000 un	its.					•	•	•	15	0 '0	.
•						T1 ()				,	
Т	'HE UI	rJOI	in C	OMP/	INY,	U.S.A	ι.				
Penicillin G Crystalline -											À
100,000 units	•		•	•	, ,		•			8 12	0 -0
200,000 units		•	•	•	•	•		•		0	
500,000 units		•	•		,	•	•		•	7	•
Po nicillin Ointment —						•		,	, ,	Ö,	4
(Topical) 1 ounce . (Opthalmic) 1 drach	,		•	•		•	•		. 8 2	8.	
(Opensimic) i drach	ш		•		•	•	•	,	_	•	- 1

							=-==				=	
										Rs.	▲.	₽.
Depo-Penicillin (w	ith dispo	sable sy	ringe)	ı— .								
l c.c. cartri	dge .	, -			,					8	o	0
Penicillin tableta -	→					•						
50000 unite	. 12'в .								_	10	0	ø
100000 unit	s 112's									18		0
Dibydrostrontomy	ate I gra: cin I cra	m				•	•	•	٠	6 6	0	0
Streptomycin Sulf Dihydrostreptomy Sulfadiazine table	ts 0 · 5 GM	1 500'в	· ·					:	•	47	8	ő
S.S. Ascorbie Acid												
100 mg. 25	× 2 cc									36	0	O O
500 mg. 25						•	•			45		0
1000 mg. 28 Riboflavin tablets	0 X 10 00, 15 may (Vi	t B2) 10	nn'a	•	•	•	•	•		70	8	
Super A Vitamin (Conc. Car	sules 50	0's			,	·	·	•		0	Ŏ
Super A Vitamin	Cone. Liq	uid 15 c			•					8	0	
Vitamin E Concen Wheat Germ Oil I			ıg. əv			•	•	•	•	8	8	
C. T. Thiamate (V	itumin B	1) 5 mg	. 100'	в.	•			•		4		ŏ
S. S. Thiamate (V	itamin B	1) 10 m	g. 6×	1 cc.						3	0	0
8. 8. Thiamate (V			_		•	•	•			3	0	0
S. Po. Thiamate ('	vitamin i	ol) Ster	iie Lo	W						0.5	^	O-
3 Grams		•	•	•	٠	•	•	•	•	25	0	G
			CIB	а РН	ARM	A LIN	HTE	וץ				
Cibazol Bottles of												
20 tablets		47								,	10	Δ.
190 tablets				:	,		•				10 15	
250 tablets									·	15	4	O-
,												
,		ALL	EN &	HAN	BUR	YS L	MIT	ED				
Penicillin (Sodium	salt colo	ured)—										
1 lec unit		-							•	1	3	O-
2 lac unit				•	•	•		:		ì	_	8
5 lac unit										3		Ó
Penicillin (Crystell	ine G.) —	-										
I lao unit	_ ′.	,								1	7	0
2 lac unit										2		0
8 lac unit		•			:	•		•	•	4 8	8	D D
10 lao, unit		•	•	•	•		٠	•	*	•	U	.,
Penicillin Nonad T										_		.1
4"×4" (10 p	oleces) .	•	•			٠,	•	•		4	3 9	0
72°×4" (1 e	=:	•	•	•		٠,	•		•	7	•	U
Penicillin Chewing								,		_	4.4	
6 pieces.								•	-	2	12	17.
Penicillin Lozenge	5	,										
20'a. 500 I.U										1	7	0
Penicillin Ointmen	.t-											
Tubes 15 gr	n. 500 I.U	J. Ca. S	alt.							1	7	()
Penicillin Eye Oin	tment —	-										
Tubes5 gr	m. 1000 I	.U. Ca.	Salt.					*		0	13	0 .
Proceine Penicillin	ı											
10 c.c 3 l	aca por o	o,				•	•	*	•	32	12	(1)

• • • • • • • • • • • • • • • • • • • •			-							
			===				====			Re. A. P.
Aneurin Hydrochloride (Vitami	л В	.)							
Ampoules, 2 gm, m										
Box of 6 x l c.c. a	mpoul	88	٠.							3 11 0
Ampoules. 5 mg. in	l c.c.									
Box of 6×1 e.e. a										2 8 0
meurin Hydrochloride (Vitami	in F	3)_							
Ampoules 25 mg.										
Box of 3×1 e.e. a	mpoul	es								2 8 0
Box of $6 \times 1e$, e an	apoule	١.				,				3 11 0 2 15 0
10 c.e. amps. 50 n 10 c.e amps. 100 n	ng mi	l o.c l a.c	 	:	·	•	•			2 15 0 4 13 0, ,
Aneurino Hydrochloride				•	•	•	-	•		, .
Tablets containing	•		,							
Bottles of 25—per	-									9 91 0
Bottles of 100—p			·				-			0 8 1
Tablets containing 3	3 mg	-								
Bottles of 25—per								-	,	0 15 0 1 14 0
Bottles of 100—p	er bott	lo	•	-	•	-	•	•	•	1 14 0
Ascorbie Acid (Vitamin	C) -									
Ampoules 100 mg. i	-									_
Box of 6×2 c.c. of										0 0 0
Ampoules 500 mg. i	n 5 e.c.									
Box of 3×5 e.c. e	ampa.									0 0 0
Tablets-										
50×45 mg.								,		0 15 0
20 × 25 mg					•		•			1 7 9
$100 \times 25 \text{ mg}$ $20 \times 50 \text{ mg}$				•			•			2 0 0
100 × 50 mg			•							680
Vitamin 'E'—-						_				
Capsules20's										4 10 0
Capsules—-40's	•	٠		•	•	•	•	•	•	8 10 0
naulin A.B.—										
5 c.c. × 20 umits										1 18 9
10 e.e. \times 20 units			•		٠	•		,	•	3 2 0 2 2 0
5 c.c. \times 40 units 10 c.c. \times 40 units							<i>.</i>		•	8 14 0
\tilde{o} c.c. \times 80 units		•		,			•			3 H4 0
Globin Insulin (with Zin	ic) A.B									
\tilde{o} c.c. \times 40 units										2 12 0
5 c.c. × 80 units				•		•			•	4 12 0
Protemine Zine Insulin .	A.B.									
5 c.c. × 40 units										2 12 0
10 c.c. \times 40 units								•		4 42 0
3 e.e. $ imes$ '80 units	•	•	•	٠	•	٠	•	•		4 12 0
Sulphanamide Tablets-	•									
Bottles of 100- ().5 gm,	. – -1	per bo	ttlo						3 0 -0
		_		AND C						
Entralin' (Liver-Stomac										
Pulvules—			•	• .						
per 84 .										19 🚜 🥬

	· · · · · · · · · · · · · · · · · · ·	_				-				Rs	۸.	Р.
'Extralia B' (Liver-sto Pulvules—	mach (Concer	nti ato	with	vitsm	ın B	Comp	lox, I	álly)			
per 84 .										19	ß	0
'Lextron' (Liver-Stom: plex, Lilly)—- Pulvules—	ach Coi	ncentr	ate wi	ith Fe	rric T	ron &	Vitar	mın B	com	•		
per 84 per 500 .	•									19 97	6 9	0
'Lextrone Ferrous' (Li min B Complex)—	ver-Sto	mach	Conce	ontrat	n wit]	h Ferr	ous T	ron &	Vita	-		
Pulvules												
per 84 . per 800 .	٠.		٠.	٠.	٠.	٠.	٠.	:	•	19 97	6 9	ψ 0
Liver Extract Solution 10 e.c. rubber-stopp				ijecta	ble U.	.S.P.,	units	per c	.c.,			
per ampoulé .										в	10	0
Liver Extract Solution 30 c.c. rubber stopp	ı, Crude ored an	e, Lill apoul	y, 2 in 0s —	ijectal	ole U.	S.P.,	units	per c.	c.,			
per ampoule .					٠	-				16	10	0
Liver Extract, Lilly, F	owder-	_								•		
per 24 vials .			•					•	-	33	0	0
'Reticulogen' (Parente rubber-stoppered a			(raet :	with \	/it a m	in B 1	, Lilly	7), 0'5	ee.			,
per plags of 3 per plags of 100	:	:		:	:	:		:	:	$\begin{array}{c} 11 \\ 209 \end{array}$	15 4	0
'Reticulogen' (Parent rubber-stoppered ar			ktraet	with '	Vitan	nin B	l Lilly	7), 50	c.			
per ampoule		•			•	•	-			31	1	0
'Duracillin In Oil' (Cr 300,000 units per ce	ystallir —	e Pr	oc aine	Peni	eillin-	G, in	OiJ, I.	álly),				
l co. rubber-sto 10 c.c. rubber-sto							:				15 8	0- 0-
'Duracillin In Oil' (C aium, Lilly) Buffere rubber-atoppered	d for a	queou	ocaine s Injec	Penietion,	cillin- 400,0	G, Cr 00 un	ystall ita in	ine-Pe 1-des	otas- e			
per ampoulé .		-			-		•		•	8	0.	θ
'Duracillin, In Oil' (Cr 300,000 units in 1-co	ystallir e. cartr	e Pro idge,	caine with c	Penic artrid	illin-C ge syr	t, in C rine (d)il, Li lispos	lly) ablot	у јт)			
per ampaule .	•	٠				٠		•		8	10	0
'Durscillin Fortified' (Potassium, Lilly) 2,	Procair 000,000	e Per units	iicillin 1, in 5-	.G an dose,	d Pon rubbe	icillm r-stop	r-G, C perod	rystal ampe	line- ordes	_	•	
per ampoule .	•									26	2	0
Penicillin-G, Crystallic pered ampoules-	18-Pota	ssium '	, 100,0	000 ur	its, 2	0-ec. 1	rubbe	r-stop	-			
per ampoule .					•		٠.			1	5	0
Penicillin-G, Crystallin	16-Pota	ssium	, 200,	117 OOG	its,20)-ec. r	ubber	-stop)	he re d	l ,		
per ampoule .		•						•	,	, 2	3	φ.

											Rs.	A. P.	
Penicillin	-G, Crystalline	-Potassi	ım, 20)-cc, :	rubbe	r-stop	pered	l amp	oul es	-			
	00,000 units— 000,000 units—				:						5 9 1	=	0 0,
P en icillir	-G, Crystalline	-Potassi	un B	uffere	ed—∙								
	10,000 units tal 10,000 units tal										8 1 16	10 8	0
Alpha-D	eltalin' (Vita r	nins A ar	ıd D,	Lilly) per	25					2 1	4	0
Alphalin	'(Vita nin A,	Lilly) 10	,000 ι	ınita	Gelse	als—							
_ p	er 25 er 100 .		•					•	:		4 12	0 3	0
Alphalir	ı' (Vitamin A,	Lilly) 2	5,000	unite	Gels	eals	-						
pe	er 25									-	7	8	0
Becotin'	(Vita nin B C	onplex,	Lilly)	Pulv	ules-	_							
p	er 30							•			14	7	0
Becotin	with Vitamin	C' (Vita	ni n B	Con	plex	with	Vitam	in C,	Lilly)				
Pulvu													
p	or 3 0										15	8	0
Betalin (Complex ' (Vit	amin B (Ja r p l	ex, L	illy)–	-							
	ibber stopered										6	14	0
	Corplex' (Vita	-	-				(17 p	er cen	ı t.)—				
	er 4 fl. oz										5	ß	0
p	er 16 fl. oz				-						16		0
	Co ~ pound' (Ver 40	/itamin l	В Сол	plex	, Lilly	y) Pա	lvules	- .			8	5	0
Betalin	S' (Thian in C	hloride,	Lilly)	30 m	g. T	hlami	n Ohl	loride	per	00.			
	ubber-stopper								•				
	erarpoule,					_	_	_			2	14	0
Betalin	S' (Thian ine				mg.	Thian	nine C	hlorid	le per	00.	_		-
10	er an poule .										4	9	0
	00 кв. впрои		•				•			•	6	14	0
'Betalin	8' (Thiam in C	Chloride,	Lilly	100	mg.	Thiat	nin C	hlorid	e per	co.			
30-oc	rubber-stoppe	red ampo	ules-	_									
p	er ampoule.	-	•								23	13	0
	S' (Thiamin C	hloride,	Lilly)	Elix	ir (10	per c	ent.)-	_					
	er 16 fl. oz	•	•	•	•	•	•	•	•	•	7	12	0
_	8' (Thiamin C		Lilly)	(BCOI	red)	Table	ts						
	5 n g per 10		•	•	٠	•	•	•	•	•	ð	0	0
1	0 ու. —per 10։ 2 ու. —per 10	Ŏ .	•	:		•	:	•	•		8 10	11	0
1	.5 n {• −per 10	0.					•				12	-	ŏ
5	25 m (• −per 40										10		0
\$	25 mg.—per 10 50 mg.—per 40	υ.)		•	٠	•	•	-	•	•		14 14	0
	n.D Pulvules-		•	•	•	•	•	•	•	•	10	14	U
													٠,
•	per 100 .		•	•	•	•		•	•	•	,	9 6	. 1
	ı' (Ascorbic Ac	ud, Lilly)	100 1	mg. 2	-00- a	mpou	il es						
ŧ	oer pkg. of 6 500 mg. 5-co. a					•	•			•		1 15	0
*Covalir	ı' (Ascorbic Ac	id, Lilly)	(scot	ed)	Table	ta							
	25 mg.—per 10					,					5		
t	50 mg.—per 40 100 mg.—per 4			•	•	•		•	•	•	47	_	0

_									Da .		
									Rs. 4	٨.	P.
'Deltalin' (Vitamin D, Lil	ly) 50, 00	0 unita (aoalo£	l a —							
per 25									7	8	0
Dicalciu n Phosphate wi											
per pkg. of 40									5 1	3	0
'Eprelin' (Distilled Too	opherols.	Natural	Type	. Lillv). 5ŏ	m e. G	elsoal	8-			
per 25 .			-JF						5	9	0
'Ferro Betalin' (Iron and						ilete —				-	•
per 100 .	Linain	in Cinor,	iuo, iii	my, c	· . I d/L	,1000			3	1	0
Folic Acid, 5 mg. (scored)	. Mahlata	•	•		•	•	•	•	o	1	U
per 25	TRDIGER								10	0	
per 100 .		• •		٠.	•		•	•	10 37	6 7	0,
Folic Acid, 15 mg. per co	10 00 7	ubbor at	annar.		· ~oule	· 	•		٠.	•	Ū
					-				11	19	0
	 Di Do							•	11 .	-	U
'Hepicebrin' (Vitaguns A	, ы, ы,	, Cana.	υ, μπ	y) Ge	TRASTR	_					
per 25 per 100 .		•	•		•	•		•	14	7 13	0
per 1000		•	`.	:		:	:		141		ŏ
'Hoxa-Betalın' (Vitamin	B6 Hvdr	ochlorid	e. Lill	v) 50	mg. t	er ec.	б-ce.				
rubber-stoppered amp	-			,,							
per an poule .									15	2	0
'Ho nicebrin' (Ho nogenia		ning A	Ri 194) () a		Y.Jh.a	. /80/	· .	30	~	•
per 120 cc. bottle) (0%	s)	*	8	0
					•	•	•	•	7	8	0
'Menadione (2-Methyl-Na											
per 40							•	•	1	9	0
Mappadione' (Vitamin)			Lilly)	, ברי, 5	g., 1-c	e. Au	poule	19-			
per package of 6					•				11	в	0
'Multicebri' (Pan-Vitam	ins, Lilly) Gelsea	ls—								
per 30									9	9	0
Nicotinamide (Nicoti nic	Aoid a n	ide), 10)-mg.	2 00.	ampo	ules—					
per pkg. of 6.			, -						ρ	0	0
Nicotina. Lide (Nicotinic	Acid An	ide) 100	-m o . 1	ንድ ብር				n.	_	·	•
pered ampoules—		, 200	6. 1	, , ,		-400	or Boo,	P-			
per ampoule .											
• •	. ,			-1-1-4	•	•	•	•	3	3	0
Nicotinamide (Nicotimie	Acid Ar	-		PDIGE	-						
per 100 .		•		•	•	•			3	11	0
Nicotinic Acid, 100 mg.	ın 10-co.	ampoul	96 —								
per pkg. of 6		•	•	•	•	•			14	.5	0
Nicotinie Acid, 10 mg.	per c.e. I	0-20. ru	bber-s	toppe	red a	mpou	les			,	
per ampoule									2	в	n
Nicotinic Acid, 50 mg.			-	•	-	•	•		_	٠	v
***									٠	1 1	^
Riboflavin, 1 mg. Tabl	 lota	•	•	•	•	•	•		. 3	11	U
									_	٠,	
	. ,		•	•	•	•	•		2	15	0
Riboflavin, 5 mg. Table									1		
-					•	•	٠		6	14	, 0
Riboflavin and Nicotin											
per pkg. of 6					•	•	•		8	13	Ó
Progesterone, 2 mg., in	Oil, Icc.	rodura.	l e s								
per pkg. of 6	•		•	•	•	•			.13		ŧ O
per pkg. of 25		•	•	•	•	•	•		.48	8	0.

rotamine Zine Insuli	in, Lılly									$\mathbf{R}\mathbf{e}$. 4.	P.
In 10 cc. vials o	nly, 40 u	ınits p	er ec.							8	4	0
In 10-cc. vials	-	unite p	901 C.C	·.	•	•	•			15	11	0
letin (Insulin, Lilly)			(164	.,						•		
Twenty units per c.			(100	unita.)							c).
por viai .			• . / 0.00		•	•	•	•	•	3	3	0
Twenty units per co			(200	илити)					ı	4	0
per vial Forty units per cc.			• 00 ;;n	· ·*·a· \	•	•	•	•	•	٠	4	17
per vial .		· ·	oo go	•	_					4	4	0
Forty units per ce.		viola (.	• 400 ar	• nit) —	•	•	•	•	•	•	7	"
per vial	111 10-00	· 1010 (1 (7) (1.	•						7	0	0
Eighty units per co	. in 10-cc	· viala	(800			•	•	•	•	•	(/	Ü
per vial						_	_			13	12	0
Diphteria Prophylatic	and Tet	anus '	r Paxoi	d Alu:		eipite	rted C	'ombi	ned			**
with whooping Co	ugh Vac	cine.	One	2-ce.		•						
vi si (1 immuni			•		•		•			11	1	0
Dihyd rostreptomy cin		20 -cc.	rubb	er sto	ppore	d am	Donle	٠				
per ampoule	•		•	•	•	•		•	•	7	1	0
1 1/1	PERIAL	CHE	MICA	T IV	ഥധങ	LIGIE	(11)	DIA) 1	TD,	1	
aludrine Hydrochlor	ride											
•		trips o	of –									
0·3 mm. Containe:										30	0	0
0·3 gm. Containe: 8 tablets eac		6 tab	lots)									
C.	h i.e. (49		olots)	•		•			•	29	8	0
8 tablets eac 0-8 gm. 500 'Avloprocil'' Brand	h i.e. (49 tablets ti of Procai	ns ne-Pa	nícilli	n oily	Injec			•	•			0
8 tablets eac 0 · 8 gm. 500	h i.e. (49 tablets ti of Procai	ns ne-Pa	nícilli	n oily	Injec			·. —	•			0
8 tablets eac 0-3 gm. 500 'Avloprocil'' Brand	h i.e. (49 tablets ti of Procai	ns ne-Pa	nícilli	n oily	Injec			·. —	•			0
8 tablets eac 0.3 gm. 500 'Avloprocil' Brand (300.000 I.U. Penic	h i.e. (49 tablets ti of Procai cillin and	ns ne-Ps: 120 m	nícillí igm	n oily Proca. . Sing	Injectine ba	ao pe	r ec.).			29	8	0
8 tablets eac 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in	tablets ti of Procesi oillin and containe	ns ns-Ps: 120 m rs of f	nícillí agm. l S vials	n oily Proca. . Sing	· Injecine ba	ao pe	r ec.).			29	8	
8 tablets eac 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in	th i.e. (46 tablets the of Procaice contains and the (Colour	ns ns-Ps: 120 m rs of 5	nicilli igm. I S vials	n oily Proca. . Sing	Injectine ba	ao pe	r ec.).			29	8 4 11	0
8 tablets eac 0.8 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin.Sodium Sal 1.0 m.u. viale	th i.e. (46 tablets the of Process collin and contained to (Colours)	ne - Per 120 m rs of # red).—	nicilli igm. I 5 viels	n oily Proce Sing Cor	Injectine ba	so pe de s of 5	r ec.). vials			29 31 154 5	8 4 11	0
8 tablets eac 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin.Sodium Sal 1.0 m.u. viale Crystalline Penicillin	tablets ti of Procai containe tt (Colour (Potassiu	ns ns-Per 120 m rs of f red).—	nícilií igm. I i viels -	n oily Proce Sing Cor	Injectine ba	so pe de s of 5	r ec.). vials			29 31 154 5	8 11 2	0 0
8 tablets eac 0.8 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin.Sodium Sal 1.0 m.u. viale	tablets ti of Procai containe tt (Colour (Potassiu	ns ns-Per 120 m rs of f red).—	nícilií igm. I i viels -	n oily Proce Sing Cor	Injectine ba	so pe de s of 5	r ec.). vials			29 31 154 5	8 4 11	0 0
8 tablets eac 0.8 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin. Sodium Sal 1.0 m.u. vial Crystalline Penicillin Bottles of 25 g	tablets ti of Procai sillin and containe it (Colour e) (Potassiu grammes (White,—	ns ne-Per 120 m rs of f red).—	nicilli igm. l i vials lt) wit	n oily Proce Sing Cor th Ste	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			29 31 154 5	8 11 2	0 0
8 tablets eac 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin.Sodium Sal 1.0 m.u. viale Crystallina Penicillin	tablets ti of Procai sillin and containe it (Colour e) (Potassiu grammes (White,—	ns ne-Per 120 m rs of f red).—	nicilli igm. l i vials lt) wit	n oily Proce Sing Cor th Ste	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			29 31 154 5	8 11 2	0 0
8 tablets eac 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin.Sodium Sal 1.0 m.u. vial Crystalline Penicillin Bottles of 25 g	tablets ti of Procai containe it (Colour e) (Potassic rammes (White,— s the Pot	ns ne-Per 120 m rs of f red).—	nicilli igm. l i vials lt) wit	n oily Proce Sing Cor th Ste	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			29 31 154 5	8 11 2	0 0
8 tablets eac 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin.Sodium Sal 1.0 m.u. vials Crystalline Penicillin Bottles of 25 g Penicillin Crystalline (Available either a	tablets ti of Procai containe it (Colour e) (Potassic grammes (White,— s the Pot a. unit.—	ns ne-Per 120 m rs of f red).—	nicilii igm. I 5 vials - lt) win on' b	n oily Proce Sing Cor th Ste th Ste odium	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			31 154 5 —	8 11 2 9	0 0 6 0
8 tablets eac 0.8 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin. Sodium Sal 1.0 m.u. vial Crystalline Penicillin Bottlas of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in	tablets ti of Procai containe it (Colour e) . (Potassiu grammes (White,— s the Pot ga. unit.— .containe	ns ne-Per 120 m rs of f red).—	nicilii igm. I 5 vials - lt) win on' b	n oily Proce Sing Cor th Ste th Ste odium	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			31 154 5 —	8 11 2	0 0 6 0
8 tablete eac 0.8 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin.Sodium Sal 1.0 m.u. vials Crystalline Penicillin Bottlas of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.2 meg	tablets ti of Procai containe it (Colour a) (Potassiv rammes (White,— a the Pot a. unit.— containe a unit.—	ns ne-Per 120 m rs of f red).— 	nicillingm. 1 5 viels 6 viels 6 viels 10 viels 10 viels	n oily Proce. Sing Cor th Ste rand odium	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			29 31 154 5 6	8 11 2 9	0 0 6 0
8 tablets each 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.—Single, and in Penicillin. Sodium Sal 1.0 m.u. vials Crystalline Penicillin Bottles of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.2 meg Singly, and in	tablets ti of Procai containe it (Colour e) (Potassiu rammes (White,— s the Pot a. unit.— containe a unit.— containe	ns ne-Per 120 m rs of f red).—	nicillingm. 1 5 viels 6 viels 6 viels 10 viels 10 viels	n oily Proce. Sing Cor th Ste rand odium	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			31 154 5 —	8 11 2 9	0 0 6 0
8 tablets each 0.3 gm. 500 Avloprocil" Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin. Sodium Sal 1.0 m.u. vials Crystalline Penicillin Bottles of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.2 meg Singly, and in Vials of 0.5 meg	tablets ti of Procai containe it (Colour e) (Potassin grammes (White,— s the Pot a. unit.— containe a unit.— containe a unit.—	ns ne-Per 120 m rs of f red).—	nicilli i vials i vials - - - oon' b. oon' b.	n oily Proce. Sing Cor th Ste	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			29 31 154 5 6	8 4 11 2 9	0 0 6 0
8 tablets eac 0.8 gm. 500 4 Avloprocil" Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin.Sodium Sal 1.0 m.u. vials Crystalline Penicillin Bottles of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.2 meg Singly, and in	tablets ti of Procai containe tt (Colour (Potassi rammes (White,— s the Pot ta unit.— containe a unit.— containe	ns ne-Per 120 m rs of f red).—	nicilli i vials i vials - - - oon' b. oon' b.	n oily Proce. Sing Cor th Ste	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			29 31 154 5 6	8 4 11 2 9	0 0 6 0
8 tablets each 0.8 gm. 500 4 Avloprocil" Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin. Sodium Sal 1.0 m.u. vials 1.0 m.u. vials Orystalline Penicillin Bottles of 25 genicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.5 meg Singly, and in Vials of 0.5 meg Singly, and in Vials of 1.0 meg	tablets ti of Procai containe tt (Colour (Potassiu rammes (White,— s the Pot ta unit.— containe a unit.— containe a unit.— containe ta unit.—	ns ne-Per 120 m rs of f red).—	nfeilli agm. 1 5 vials 5 vials 6 vials 10 via	n oily Proce. Sing Cor th Ste th Ste diodium	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			29 31 154 5 6	8 4 11 2 9	0 0 6 0
8 tablets each 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin Sodium Sal 1.0 m.u. vials of m.u. vials of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.5 meg Singly, and in Vials of 1.0 meg Singly, and in Vials of 1.0 meg Singly, and in	tablets ti of Procai containe tt (Colour f) (Potassiv frammes (White,— s the Pot ta unit.— containe a unit.— containe fa unit.— containe fa unit.— containe fa unit.— containe	ns ne-Per 120 m rs of f red).—	nfeilli agm. 1 5 vials 5 vials 6 vials 10 via	n oily Proce. Sing Cor th Ste th Ste diodium	Injectine ba	ao pe da s of 5 i Sulp	r ec.). vials			29 31 154 5 6	8 4 11 2 9	0 0 6 0
8 tablets each 0.3 gm. 500 'Avloprocil' Brand (300.000 I.U. Penic Vials of 10 cc.—Single, and in Penicillin Sodium Sal 1.0 m.u. vial Crystalline Penicillin Bottlas of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.5 meg Singly, and in Vials of 1.0 meg Singly, and in Penicillin Preparatio	th i.e. (46) tablets ti of Procai containe it (Colour e) (Potassiv grammes (White,— s the Pot ta. unit.— containe a unit.— containe ga unit.— containe ga unit.— containe	ns ne-Per 120 m rs of f red).—	nfeilli agm. 1 5 vials 5 vials 10 via 10 via	n oily Proce. Sing Cor th Ste th Ste dodium	Injection based in the based in	da po	r cc.).	• vzathi		29 31 154 5 6	8 4 11 2 9 · · · · · · · · · · · · · · · · · ·	0 0 6 0
8 tablets each 0.3 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin Sodium Sal 1.0 m.u. vials of m.u. vials of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.5 meg Singly, and in Vials of 1.0 meg Singly, and in Penicillin Preparatio Oily Injection of F	th i.e. (46) tablets ti of Procai containe it (Colour e) (Potassiv grammes (White,— s the Pot ta. unit.— containe a unit.— containe ga unit.— containe ga unit.— containe	ns ne-Per 120 m rs of f red).—	nfeilli agm. 1 5 vials 5 vials 10 via 10 via	n oily Proce. Sing Cor th Ste th Ste dodium	Injection based in the based in	da po	r cc.).	• vzathi		29 31 154 5 6	8 4 11 2 9 · · · · · · · · · · · · · · · · · ·	0 0 6 0
8 tablets each 0.3 gm. 500 'Avloprocil' Brand (300.000 I.U. Penic Vials of 10 cc.—Single, and in Penicillin Sodium Sal 1.0 m.u. vial Crystalline Penicillin Bottlas of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.5 meg Singly, and in Vials of 1.0 meg Singly, and in Penicillin Preparatio	th i.e. (46) tablets ti of Procai containe it (Colour e) (Potassiv grammes (White,— s the Pot ta. unit.— containe a unit.— containe ga unit.— containe ga unit.— containe	ns ne-Per 120 m rs of f red).—	nfeilli agm. 1 5 vials 5 vials 10 via 10 via	n oily Proce. Sing Cor th Ste th Ste dodium	Injection based in the based in	da po	r cc.).	• vzathi		29 31 154 5 6	8 4 11 2 9 · · · · · · · · · · · · · · · · · ·	0 0 6 0
8 tablets eac 0.8 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.—Single, and in Penicillin. Sodium Sal 1.0 m.u. vials Crystalline Penicillin Bottlas of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.5 meg Singly, and in Vials of 1.0 meg Singly, and in Penicillin Preparatio Oily Injection of Fper 0c.).—Vials of 10 cc.	tablets ti of Procai containe it (Colour f) (Potassiv rammes (White,— s the Pot a. unit.— containe a unit.— containe a unit.— containe	ns ne-Per 120 m rs of f red).—	nfeilli agm. 1 5 vials 5 vials 10 via 10 via 10 via 10 via	n oily Proce. Sing Cor Cor th Ste th Ste soldium	Injection based in the based in	da po	r cc.).	• vzathi		29 31 154 5 6	8 4 11 2 9 · · · · · · · · · · · · · · · · · ·	0 0 6 0
8 tablets eac 0.8 gm. 500 'Avloprocil'' Brand (300.000 I.U. Penic Vials of 10 cc.— Single, and in Penicillin Sodium Sal 1.0 m.u. vials of m.u. vials Crystalline Penicillin Bottles of 25 g Penicillin Crystalline (Available either a Vials of 0.1 meg Singly, and in Vials of 0.5 meg Singly, and in Vials of 1.0 meg Singly, and in Penicillin Preparatio Oily Injection of Fper 00.).—	tablets ti of Procai containe it (Colour f) (Potassiv rammes (White,— s the Pot a. unit.— containe a unit.— containe a unit.— containe	ns ne-Per 120 m rs of f red).—	nfeilli agm. 1 5 vials 5 vials 10 via 10 via 10 via 10 via	n oily Proce. Con Con th Ste th Ste dodium	Injection based in the based in	.80 pe	r cc.). vials	• vzathi		29 31 154 5 6 1 2 4 7	8 4 11 2 9 · · · · · · · · · · · · · · · · · ·	0 0 6 0

									H .	1. T.	
Crystalline Penicillin (Potas	ницт Ы	elt) >	(IHTH)	neion ii	n Oil	_					
'Avlon' brand. (300,000)		,									
Vials of 10 oc		,									
Singly, and in contain Singly vials Container	ners of rs of 10	l0 vi: vial	alk B	•		•			$\frac{30}{297}$	Ø 8	0 0
Penicillia Eye Omement B.I	·-										
Tubes of 5 grammes									0	15	O per borr
Ointment of Penicillin											,
Tub so of 25 gramm s	٠.				·				I	3	0
Penfoillin Lozenges-										,	
Containers of 25									1	.ĭ	11
Sulphaguanidine Tablets 0 -5	gm				•		-		-	,-	
Containers of 25 . Containers of 100 .	_								13	12	0
Containers of 500 .										30	
Sulphamezathine brand of Sc	ılphadı	mida	142								
'Fableta of 0 ·5 gm											
Containers of 25	•					,				13	
Containers of 100 . Containers of 500 .		•							9 44	~	
Sulphanilamide Tablets 0 -5 g		•		•	•	•	•	•	+4	O	• •
Containers of 25.		,							Λ	10	ø
Containers of 100. Containers of 1000		`							2 1 T	0	6
Genazele Brand Sulphathia Tablete -	zole wi	th Pi	oflav:	ine M o	nohy	droch	londe				
Containers of-											
25×0.50 Gramme 100×0.50 Gramme 500×0.50 Gramme					•	•			12	13	0
'M & B 693' Brand Sulphapy	radina	•				•		-	อง	·Q	v
Tablets—Children— Containers of—	/IMIHI6—	-									
25×0.125 Gramme		,							- 1	ñ	0
Tablets—Adults— Containers of—											
25×0.50 Gramme 100×0.50 Gramme	•	-								12	0
500 × 0.50 Gramme							•		10 58	15 5	0
Nicotinamide— M &B- —						•	•		50	•••	'
Tablets											
Containers of											
$25 \times 50 \text{ mgm}$.									1	o	0
100 × 50 mgm 500 × 50 mgm	•	· ·				•				11	0' 0'
Solution—											
Boxes of-											
6×1 cc. ampoules 26×1 cc. ampoules.									2 8		0
(each c.c. contains 50 Spectible Acid M. & R	, ու ջու .	01 N	100tar	amide')						
Nicotifue Acid M & B Tablets											
Containers of \sim 25 \times 50 mgm.											

								===			
100×50 mgm .									Rв.		
500 × 50 mgm.						•				11 5	_
Penicillin Eye Ointment M											
Tubes of 5 Gm- (Each	Gm- cor	i tai ne	1,000	1.U.	of cal	oium j	penici	llin)	2	11	0
Penicillin Lozenges— M & H											
Containers of 20 (Each	lozenge	cont	ains c	aloiun	a poni	cillin	500 I.	U.)	1	13	0
Ponicillia Oiatment—M & F	B										
Tubes of 1 oz. (each Gn	n. conte	ins 5	00 I.U	of C	alchun	r beu	icillin).	3	5	0
Planavit Bl' Brand Aneuri	no bydi	ochlo	ride:	_							
Tablets-											
Containers of —											
25×1 mgm. tablets 25×3 mgm. tablets	•		٠	•	•	•	•	•		15 4	0
25×5 mgm. tablets	٠			-	•	:		•	ì		ŏ
Solution :											
Boxes of											
6 × 1 c.c. (10 mgm.) 25 × 1 c.c. (10 mgm.)			•	•	•	•		٠	10	11	
6×1 e.c. (25 mgm.)	amp	•							4	5	0
25×1 e.e. (25 mgm.) 6×1 e.e. (50 mgm.)			•	•		•		•	17 5		0
25×1 c.c. (50 mgm.)		•	,		•	÷			22		ő
Plansvit 'C' Brand Asorbic	Aeid										
Tablets-											
Containers of — 25 × 0.05 gramme.											45
100 × 0.05 gramme.	:	•				•		٠		11	_
500 × 0.05 gramme.		_		•	•	٠	•		20	0	Û
Proseptasine' Brayd Benzy	I Sulpha	etitle):	nide	-							
Tablets Containers of											
25×0.50 gramme.									4	0	0
500×0.50 gramme. 100×0.50 gramme.			•	٠					44 13		0
uccinyl-sulphathiazole—M		•	•			•	•	•	10	. 1	U
Tablets											
Containers of—											
$100 \times 0.50 \text{ gramme}$		•							21	6	0
500 × 0.50 gramme	•				•	•	•	•	83	3	0
Sulphadiazine—M & B											
Tablets— Containers of :—											
25×0.50 gramme									3	5	0
500×0.50 gramme			•	•					62	11	ŏ
100 × 0.50 gramme.						•		•	13	U	0
Powder (unsterilized)-											
Containers of — 100 grammes									25	0	į,
Sulphaguanidine—M & B. Tablets—	-										
Constainers of											
$25 \times 0.50 \text{ gm.}^{3}$.									2	0	0
500 × 0.50 gm. 1									25	Æ	0

sulphamerazine - M & B.			_				., .,		Rs. A	. P.	
Tablets —											
Containers of \sim 25 \times 0.50 gm 100 \times 0.50 gm . 500 \times 0.50 gm.	· ·				•		:		8 5 18 0 62 11		
Sulphanilamide M & B											
Tablets -											
Containers of \cdot - 25×0.50 gramme. 100×0.50 gramme 500×0.50 gramme.									1 0 3 0 8 0	0 0 0	
'Sulphatriad' Brand Compoun	d Sul	phone	mide	Table	nta						
Tablets											
Containers of 25×0.50 gm. 100×0.50 gm. 500×0.50 gm. (Each tablet contains:) Sulphathiazole 0.185 g Sulphadiazine 0.185 gr	ւր. ը. ,			٠	-			•	3 2 12 0 58 11	0 0 0	
Thelezole' Brand Phythelyla	ulphat	hiazo	lo-								
Tablets '											
Containers of $-$ 25 \times 0.50 gramme. 100 \times 0.50 gramme 500 \times 0.50 gramme.				•						() () () ()	
Thiazamide' Brand Sulphath	ıazole	_									
(Introduced as M & B 760) Tablets — Containers of - 25 × 0.50 gramme 100 × 0.50 gramme. 500 × 0.50 gramme.	-		,	•	•			: .	2 3 8 5	0	
500×0.50 gramme.		•		•		•			36 10	0	

By Order,
1. D. MATHUR,
Secretary (Rationing & Civil Supplies)
to the Chief Commissioner, Delhi.